



PROJEKT
BOATWORKS

C-39 OPEN



PROJEKT C-39 OPEN


ProJekt Boatworks, working in collaboration with New Zealand's award-winning Bakewell-White Yacht Design, introduces the ProJekt C-39 catamaran.

The ProJekt C-39 is offered in both Open and Cabin models. The design brief described a fast sportfishing catamaran that would offer a safe, stable and comfortable ride at high speeds in offshore conditions. It needed to be extremely sea worthy and provide long-range capabilities for extended offshore excursions. And, to satisfy the demands of the tournament sport-fisherman, the design had to be capable of packing heavy loads.

The Open model has one fifty-gallon and two seventy-gallon live wells, a massive coffin box with two insulated fish boxes and two large insulated in-deck fish boxes capable of carrying huge amounts of ice and fish. That, plus six hundred gallons of fuel, forty gallons of water, the optional upper tower and six to eight fishermen with all their gear means that the C-39 can pack over three tonnes of extra weight and still do fifty knots on the way out to the battle grounds. Whether powered by quad 300s, Yamaha 425 XTO or Mercury 450R, the performance and handling of this well-balanced cat will ensure you are first on the grounds and first back to the weigh station ahead of your competition.

PROJEKT C-39 | FEATURES

- » Asymmetrical catamaran hull design by Bakewell-White Yacht Design
- » Efficient, stable, dry & soft riding multi-hull
- » Top speeds of over 80 mph with quad 450s
- » Welded marine aluminum construction
- » Unmatched strength to weight ratio
- » Yacht paint coatings & finishing
- » Engineered sound & thermal insulation solutions
- » Dissimilar metal isolation measures
- » Twin & quad outboard power options
- » Stylish & functional console, leaning post, coffin box & hardtop
- » Curved glass windshield & side windows provide watertight hardtop seal
- » Hardtop provides coverage to side decks/integral rear support columns (*with steps*)
- » Leaning post with triple helm seats/triple wide rear seat
- » Coffin box with lounge seating, (2) 90 gallon fish boxes
- » Optional generator & air conditioning
- » In-console electric toilet
- » (2) Large below deck storage compartments (*forward*)
- » (3) Large insulated fish boxes
- » (3) Live wells (*1 standard & 2 optional*)
- » Fresh water & raw water wash down



PROJEKT C-39 OPEN | SPECIFICATIONS

LENGTH on DECK	38' 10"
LENGTH OVERALL	43' 4" (with outboards up)
BEAM	12' 2"
DRAFT	2' 8" (outboards down)
BRIDGE CLEARANCE (top of radar)	10' 6"
TRAILER CLEARANCE (top of anchor light)	13' 6"
DRY WEIGHT (with Quad Mercury 300)	17,000 pounds
LOADED WEIGHT (with Quad Mercury 300)	24,000 pounds
FUEL CAPACITY	630 US gallons
WATER CAPACITY	32 US gallons
HOLDING TANK CAPACITY	28 US gallons
PERFORMANCE (predicted @ halfload with Quad Mercury 300)	
» TOP SPEED	70 mph
» CRUISE SPEED	50 mph
» FUEL ECONOMY @ CRUISE	1.1 MPG



HULL & DECK FEATURES – STANDARD

- » Port and starboard dive/entry doors with drop in ladder sockets
- » 27" gunnel height (*cap rail to deck*)
- » (9) Gemlux 10" pop up cleats
- » (10) Gemlux rod holders (*gunnel mount*)
- » Port and starboard GG Schmitt flip down seats with backrests
- » Swim platform with Garelick telescopic boarding ladder
- » Live Well-Transom 50 gallon live well with front window and acrylic lid and LED tank lighting
- » Port and starboard aft bilge compartments with locking deck hatches
- » Port and starboard forward bilge/storage compartments with locking deck hatches
- » Large in-step deck storage locker with drain and locking deck hatch (*forward step deck*)
- » Large in-deck insulated fish/storage box with drain and deck hatch (*located in foredeck*)
- » Anchor locker with deck hatch
- » Low level courtesy lights recessed around the perimeter of the decks
- » On-deck shower (*cold*)
- » Fresh water wash down
- » Raw water wash down
- » Coaming bolsters
- » Handrails/grabrails
 - Forward gunnel perimeter (*stainless*)
 - Console-welded aluminum (*port and starboard*)
 - Leaning post (*port and starboard hardtop upright post, port and starboard*)
- » Gunnel rigid rub rail (*exterior*) with stainless insert
- » Lower hull side rub rail (*stainless steel*)
- » Decking surface—UltraDeck PE foam decking on main decks including forward step deck

SUPERSTRUCTURE FEATURES - STANDARD

CONSOLE

- » 76" wide x 52" high
- » Port and starboard console entry doors with locking latches
- » (3) Interior console down lights
- » Marine toilet located inside console
- » Curved one piece laminate glass windshield
- » Port and starboard side tempered glass windows
- » Dash panel can accommodate up to (3) 24" nav screens
- » (4) Gemlux recessed cup holders
- » (2) BocaTec LED push button switch panels
- » Compass (*with light*)
- » Tilt steering helm—*see propulsion*
- » Engine controls—*see propulsion*
- » Engine mangement panel(s)—*see propulsion*
- » Trim tab controls—*see options*
- » Navigation screens—*see options*
- » VHF radio—*see options*
- » Recessed full width footrest integrated in aft face of console
- » Forward upper console box
 - Fresh air vents (*closable*)
- » Rear upper console box
 - Speakers—*see options*
- » Windshield wiper/washer—*see options*

LEANING POST

- » (3) Llebroc triple billfish, no hole with flip bolster and pivot arms
- » (3) Seat sliders
- » Forward tackle locker with locking hatch
- » Port and Sstarboard (*outboard*) tackle lockers with locking hatch

REAR LEANING POST SEAT

- » 76" Wide rear facing seat with backrest and pivoting armrests (*insulated cooler under seat*)
- » Insulated cooler with drain (*59 Gallons - 60" W x 19" L x 12" D*)
- » Port & starboard subwoofer compartments in outboard side of seat/cooler box

HARDTOP

- » 11' 4" Long x 9' wide
- » (6) Ceiling downlight (*multi-colour, dimming*)
- » Recessed navigation lights (*red/green with flood*)
- » Recessed outrigger wells
- » Rear support column with integrated steps to upper deck
- » Extended forward overhang (*provides shade on windscreen*)
- » (8) Rod holders on back of hardtop (*weld on*)

COFFIN BOX

- » Port and Starboard insulated fish/storage boxes (*90 Gallons - 62" L x 20" W x 17" D*) with drain and LED light
- » Double wide upholstered lounge seat backrest with pivoting armrests and cupholders
- » Port & starboard upholstered lounge seat bases integrated into centre hinged insulated fish box lids

STRUCTURAL DETAILS-STANDARD

- » Welded marine aluminum (5086 & 5052)
- » Mig and tig welding
- » Material thickness
 - Hull bottom plates: ¼" 5086
 - Hull side plates: ¾" 5086
 - Deck plates: ¾" 5086
 - Console, leaning post, hardtop and coffin box: ¾" & ½" 5052

INSULATION-STANDARD

- » Silent running 1000 vibration coatings
- » Soundown vibration dampening tiles
- » Soundown acoustical panels
- » Closed cell spray foam
- » Vibration isolation mounting systems

TANKAGE-STANDARD

- » (2) 316 US gallon Florida Marine tanks (FMT) certified aluminum fuel tanks
- » (1) 32 gallon domestic water tank (*plastic*)
- » (1) 28 US gallon black water tank

COATINGS-STANDARD

- » Awlgrip Yacht Coatings system
 - Awlgrip epoxy primers, fairing compound, SprayFair, polyurethane top coat
- » Interlux antifouling coatings
 - Epoxy primers (*5 coats*), Micron CF (*2 coats*)

ELECTRICAL-STANDARD

- » 12V house & start
 - House bank (*2 x BattleBorn 100AH lithium*)
 - Start bank (*1 per motor x Lifeline 24 series*)
- » Dash switching (*BocaTec, LED*)
- » Lighting (*Lumitec*)
 - Navigation lights (*recessed in hardtop with flood light*) & anchor light
 - Flood light—Capri2 Flush Flood, white/blue dimming
 - Hardtop downlights (*full spectrum RGBW*)
 - Console (*interior*) downlights
 - Bilge compartment lighting
 - Courtesy low level lighting
 - Live well lighting
 - Underwater lighting - Lumitec SeaBlazeX2 LED (*full spectrum RGBW*)
- » Horn—Marinco Mini Trumpet air horn (12V)
- » (4) High water bilge alarm
- » Scanstrut ROKK Charge waterproof dual USB charge socket
- » 120V/30A
 - ShorePower (120V/30A) with galvanic isolator, shore breaker, breaker panel and 50' chord
 - 3KW Inverter/charger (*house bank*)
 - Engine start battery charger (*per 2 engines*)
 - (1) Receptacle



MECHANICAL-STANDARD

- » Live Well system (transom)—(1) Hooker Electric 2500 pump with high speed pickup
- » Toilet & holding tank
 - “Tall” ceramic electric toilet (*fresh water flush*)
 - 28 gallon holding tank with dockside and overboard discharge
- » Domestic water system
 - 3.5 GPM pump with strainer
 - Wash down hose with spray nozzle
 - On-deck shower (cold)
- » Raw water system
 - 5.0 GPM pump with strainer
 - Wash down hose with spray nozzle
- » Bilge Pumps
 - (4) 2000 GPH Auto/Manual with Float Switch
- » Fuel System (USCG, ABYC & EPA approved)
 - (2) x 316 US Gallon, USCG and EPA Certified Aluminum Tanks
 - Electric sender
 - Tank fittings - 1½" fill, ⅝" vent, (2) ½" supply
 - Carbon filter canister

- » Steering System
 - Edson satin finish, stainless steel comfort grip power wheel
 - Tilt Helm
 - SeaStar Optimus/Mercury/Yamaha (without joystick)
- » Anchoring
 - Fortress 15lb aluminum anchor with 80' ⅝" chain and 300' x ½" nylon rope
 - Bow roller assembly

POWER OPTIONS

- » Twin Yamaha 425XTO
- » Twin Mercury 450R
- » Twin Mercury 600 Verado
- » Quad Mercury 300 Verado
- » Quad Mercury 350 Verado
- » Quad Mercury 400 Verado
- » Quad Mercury 450R
- » Quad Yamaha 300



OPTIONAL PROPULSION ACCESSORIES

- » Mercury Vessel View 703 upgrade
- » Mercury Vessel View 903 upgrade
- » Mercury white motor upgrade
- » Yamaha CL7 touchscreen display upgrade
- » Joystick steering upgrade–Sea Star Optimus 360 joystick steering
- » Joystick Steering Upgrade–Mercury Joystick Piloting
- » Joystick Steering Upgrade–Yamaha Helm Master EX joystick piloting

FISHING ACCESSORY OPTIONS

- » Live Well pump(s)
 - Hooker Electric 3 pump–(2) x 4500 & (1) x 2500 with manifold, high speed T/H pick up & transom pick up
 - Hooker Electric 2 Pump–(2) x 4500 with manifold, high speed T/H pick up & transom pick up
- » Live Well
 - (2) In-deck 70 gallon with Gemlux adjustable inlet and outlet valves and Whale Gulper discharge pump
- » Tuna Tubes
 - (2) Transom mount with acrylic lids, Gemlux adjustable flow inlet and outlet fittings
- » On-deck live well connection points
- » Gemlux Blue Water outrigger base set
 - Gemlux collapsible carbon fiber outrigger (*pair*) black–18'

- » Gemlux Coastal outrigger base set
 - Gemlux Coastal Hybrid Shade Pole pair, collapsable 9', black
 - Gemlux Fly Shade–medium
- » (1) Rod holder–gunwale mount
- » (1) HD rod holder–gunwale mount
- » (1) HD swivel rod holder–gunwale mount
- » Rod holder–(12) coffin box mount
- » Rod holder–(12) transom mounted (*weld-on*)
- » Electric reel power points (*Hubbel*)
- » Bait/fish cleaning table with (2) Burnewiin universal deck mounts
- » Upper folding tower–Mercury
- » Upper folding tower–Yamaha
 - Hard buggy top upgrade
- » Crows nest for hardtop

ELECTRICAL & MECHANICAL OPTIONS

- » Generator
 - Fisher Panda AC5000 (5KW) with sound shield, muffler, 25 gal diesel tank
- » Air Conditioning
 - Webasto BlueCool S13 self contained with reverse heat
- » House battery upgrade
 - Add (1) BattleBorn 12V x 100AH lithium battery
- » (1) Scanstrut ROKK Charge waterproof dual USB charge socket

- » Lighting
 - Light Bar–Lumitec Razor
 - Poco Light Controller
- » Windshield Wiper/Washer
 - (1) Multi Speed Motor, Pantographic Arm with Blade, Washer System
- » Trim Tabs
 - ZIPWAKE 300MM intermediate tabs with helm control panel
- » Anchor Windless
 - Lewmar windless, locker mount / stainless thru hull roller assembly
- » Towing Eye with structural support integrated in hull framing
- » Engine flush system–Twins
- » Engine flush system–Quads

COVERS & SHADE OPTIONS

- » 2 Panel polycarbonate side skirt
- » Complete console canvas enclosure (*windscreen, sides and back panel*)
- » Leaning Post rear seat canvas cover
- » Coffin Box canvas cover
- » Full boat canvas cover to waterline
- » Motor cover
- » Second station box cover



NAVIGATION ELECTRONICS OPTIONS

GARMIN PACKAGE # 1

- » (1) GPSMAP 8616xsv-16" Chartplotter with 1KW CHIRP sonar
- » (2) GPSMAP 8616-16" MFD Chartplotter
- » Radome Fantom 24" radar
- » Reactor 40 Steer-By-Wire with GHC 20 Display, Autopilot
- » VHF 215 AIS radio
 - Shakespeare 8' antenna with SS ratchet mount base
- » Transducers
 - Airmar SS175HW, 1KW, 20 degree tilt element
 - Airmar SS175L, 1KW, 20 degree tilt element
- » Remotes-Grid 20

GARMIN PACKAGE # 2

- » (3) GPSMAP 8617-17" Screen MFD Chartplotter
- » GSD25 premium sonar module
- » Radome Fantom 24" radar
- » Reactor 40 Steer-by-wire with GHC 20 display, autopilot
- » VHF radio
 - VHF 215 AIS radio
 - VHF 215 radio
 - (2) Shakespeare 8' antenna with SS ratchet mount base
- » Transducers
 - Airmar SS175HW, 1KW, 20 degree tilt element
 - Airmar SS175L, 1KW, 20 degree tilt element
- » Remotes-Grid 20

GARMIN PACKAGE # 3

- » (3) GPSMAP 8622-22" Screen MFD Chartplotter
- » GSD25 Premium Sonar Module
- » GMR Fantom 124 (48") radar
- » Reactor 40 Steer-by-wire with GHC 20 display, autopilot
- » VHF radio
 - VHF 315 AIS radio
 - VHF 215 Radio
 - (2) Shakespeare 8' antenna with SS ratchet mount base
 - AIS 600 blackbox transceiver
- » Transducers
 - Airmar SS175HW, 1KW, 20 degree tilt element
 - Airmar SS175L, 1KW, 20 degree tilt element
- » Remotes-Grid 20

ADDITIONAL GARMIN EQUIPMENT

- » Radar upgrade
 - Fantom 24" to GMR Fantom 124 (48")
 - GMR Fantom 124 (48") to GMR Fantom 126 (72")
- » Marine cameras
 - GC 10 network camera
- » AIS 600 blackbox transceiver

RAYMARINE PACKAGE # 1

- » (3) AXIOM PRO 16-16" Chartplotter with 1KW CHIRP sonar
- » Radome RD424D 24" Radar HD color
- » Evolution EV-2 autopilot (*Drive-by-wire*)
 - S100 Control Head
- » RAY53 Compact VHF radio with GPS
 - Shakespeare 8' Antenna with SS ratchet mount base
- » Transducers
 - Airmar SS175HW, 1KW, 20 degree tilt element
 - Airmar SS175L, 1KW, 20 degree tilt element

RAYMARINE PACKAGE # 2

- » (3) AXIOM XL 17-17" Chartplotter
- » RVX1000 3D CHIRP Sonar Module
- » Radome Quantum 2, 24NM Doppler / CHIRP radar
- » Evolution EV-2 autopilot (*Drive-by-wire*)
 - S100 Control Head
- » RAY73 Dual Station VHF Radio with GPS, AIS & Loudhailer
 - Shakespeare 8' antenna with SS ratchet mount base
- » Transducers
 - Airmar SS175HW, 1KW, 20 degree tilt element
 - Airmar SS175L, 1KW, 20 degree tilt element

RAYMARINE PACKAGE # 3

- » (3) AXIOM XL 22-22" Chartplotter
- » RVX1000 3D CHIRP Sonar module
- » Magnum 4KW Open Array, 48" 72NM
- » Evolution EV-2 autopilot (*Drive-by-wire*)
 - S100 Control head
- » RAY73 Dual station VHF radio with GPS, AIS & Loudhailer
- » RAY53 Compact VHF radio with GPS
 - (2) Shakespeare 8' antenna with SS ratchet mount base
- » Transducers
 - Airmar SS175HW, 1KW, 20 degree tilt element
 - Airmar SS175L, 1KW, 20 degree tilt element

ADDITIONAL RAYMARINE EQUIPMENT

- » Marine Cameras
 - CAM220 Day & Night
 - CAM200IP Interior/Exterior, Day/Night Network Camera
- » Sounder Module
 - CP370 Digital Sonar Module
 - CP470 CHIRP Sonar Module
- » VHF Radio
 - RAY90 Modular Multi-Station VHF
 - RAY91 Modular Multi-Station VHF with AIS Receiver
 - RAYMIC Second Station Kit

FLIR

- » M232 Compact pan/tilt thermal camera
- » M332 Thermal camera with active gyro-stabilization
- » M364C Premium multispectral with active gyro-stabilization

STEREO OPTIONS

OPTION #1

- » Fusion Apollo MS-RA770 stereo head
- » (6 Pair) JL Audio 7.7" speakers (*gloss white, LED, sport grille*)
- » (2 Pair) JL Audio 10" Subwoofer (*gloss white, LED, sport grille*)
- » (2) JL Audio M1000/5v2 amplifier
- » (1) JL Audio M400/4 amplifier

OPTION #2

- » Fusion Apollo MS-RA770 stereo head
- » (6 Pair) JL Audio 8.8" speakers (*gloss white, LED, sport grille*)
- » (2 Pair) JL Audio 12" subwoofer (*gloss white, LED, sport grille*)
- » (2) MVi1000 amplifier
- » (3) MVi800/8 amplifier


PROJEKT
BOATWORKS

1038 Venture Way
PO Box 860
Gibsons, BC
V0N 1V0 Canada

